






# Tangra<sup>™</sup>L Pro HD 600-620W

N-type TOPCon high density bifacial double glass mono module





Bifacial technology enables additional energy harvesting from rear side (up to 30%)



30 years lifespan brings 10-30% additional power generation comparing with conventional P-type module



N-type solar cell has no LID naturally which can increase power generation



Excellent low irradiance performance



Better light trapping and current collection to improve module power output and reliability



Industry leading lowest thermal co-efficient of power



Optimized electrical design and lower operating current for reduced hot spot loss and better temperature



Certified to withstand: wind load (2400 Pa) and snow load (5400 Pa)



100% triple EL test enabling remarkable reduction of hidden crack rate of modules

# WARRANTY INSURANCE












<sup>\*</sup> Optional performance warranty insurance. Please contact our local sales staff for more information.

# LINEAR PERFORMANCE WARRANTY



Product quality & process guarantee Linear power guarantee

Annual degradation

# **COMPREHENSIVE CERTIFICATES**







ISO 9001: Quality Management System

ISO 14001: Environmental Management System Standard ISO 45001: International Occupational Health and

Safety Assessment System Standard

SA 8000: 2014 Social Accountability Management System

<sup>\*</sup> Different markets have different certification requirements. Also, the products are under rapid innovation. Please confirm the certification status with regional sales representatives.



Model of modules SS-BG600-72MDH-G10(T) SS-BG605-72MDH-G10(T) SS-BG610-72MDH-G10(T) SS-BG615-72MDH-G10(T) SS-BG620-72MDH-G10(T) STC NOCT STC NOCT STC NOCT STC NOCT STC NOCT  $Maximum power - P_{mp}(W)$ 600 452 610 460 605 456 615 463 620 467 52.38 52.51 49.57 52.64 49.69 52.77 52.90 49.93 Open-circuit voltage  $- V_{oc}(V)$ 49.44 49.81 Short-circuit current  $-I_{sc}(A)$ 14.47 11.69 14.53 11.74 14.59 11.79 14.65 11.84 14.71 11.88 Maximum power voltage − V<sub>mp</sub> (V) 44.26 41.43 44.40 41.57 44.55 41.70 44.70 41.84 44.84 41.98 Maximum power current  $-I_{mp}$  (A) 13.56 10 91 13 63 10.97 13 69 11.02 13.76 11.07 13.83 11.13  $Module\ efficiency-\eta_m\ (\%)$ 22.4 22.2 23.0 22.6 22.8

STC (Standard Testing Conditions): Irradiance 1000W/m², Cell Temperature 25 °C, Spectra at AM1.5

NOCT (Nominal Operating Cell Temperature): Irradiance 800W/m², Ambient Temperature 20°C, Spectra at AM1.5, Wind at 1m/s

## **ELECTRICAL CHARACTERISTICS WITH DIFFERENT POWER BIN (REFERENCE TO 13.5% IRRADIANCE RATIO)**

Peak power (P <sub>max</sub> ) (W)	665	670	676	681	687
Open circuit voltage $(V_{oc})$ $(V)$	52.38	52.51	52.64	52.77	52.90
Short circuit current $(I_{sc})$ (A)	16.03	16.10	16.17	16.24	16.30
$MPP  voltage - V_{mp}(V)$	44.26	44.40	44.55	44.70	44.84
MPP current $-I_{mp}$ (A)	15.02	15.10	15.17	15.25	15.32

#### STRUCTURAL CHARACTERISTICS

Module size (L*W*H)	2382 x 1134 x 30 mm	
Weight	32.5 kg	
Cell	144 cells,N-type TOPCon monocrystalline	
Front glass	2.0mm, anti-reflection coating	
Back glass	2.0mm, heat strengthened glass	
Frame	Anodized aluminum alloy	
Junction box	IP68, 3 bypass diodes	
Output wire	4.0 mm <sup>2</sup>	
Wire length	300mm/1200mm/customized	
Connector	MC4 Compatible	
Packing Specification	36 pcs/pallet; 720 pcs/40'HQ	


#### **OPERATING PARAMETERS**


Power tolerance (W)	(0,+5)
Maximum system voltage (V)	1500
Maximum rated fuse current (A)	30
Current operating temperature (°C)	-40~+85 °C
Mechanical load	5400 Pa */ 2400 Pa⊗


### **TEMPERATURE PERFORMANCE RATINGS**


TANGRA temperature coefficient (P <sub>max</sub> )	-0.30 %/°C
Temperature coefficient (V <sub>oc</sub> )	-0.28 %/°C
Temperature coefficient $(I_{sc})$	+0.04 %/°C
Nominal operating cell temperature	43±2°C

## **MODULE DIMENSIONS (MM)**









Length shown in mm



Web: www.sunovathornova.com

E-mail: info@sunova-solar.com

\* The technical parameters contained in this data sheet may exhibit variations contingent upon the region. Sunova Solar and Thornova Solar do not guar their full accuracy. Due to continuous innovation, research, development and products improvements, Sunova Solar and Thornova Solar reserve the rij adjust the information in this data sheet at an incrine adjust the information in this data sheet and incripe it as an intrinsic component of the legally binding agreement ratified by both parties. The Chinese (or any other language) translation of this data sheet reference only. If there is any discrepancy between the English version and the Chinese version (or other language) travelsion shall previous discrepancy between the English version and the Chinese version (or other language) travelsion shall previous discrepancy between the English version and the Chinese version (or other language) travelsion shall previous discrepancy between the English version and the Chinese version (or other language) travelsion shall previous discrepancy between the English version and the Chinese version (or other language) travelsions are considered to the chinese version of the Chinese version (or other language) travelsions are chinese travelsions.

Make it happen! SD202405001EN

 $<sup>^{\</sup>star}$  The unmarked tolerance is  $\pm 1$  mm