VOLTAGO®

E-SCOOTERS

X7 | X8 | X9 | X9B | X10



IMPORTED AND DISTRIBUTED BY

VOLTAENERGY®

VOLTAGO®

CHARGE UP. RIDE OUT.

X7 FOLDING E-SCOOTER



PRODUCT DESIGN CONCEPT:

1. Cylindrical-shaped, hidden, removable battery design, a new revolution in lithium batteries.
2. Adopting a cobra-inspired bionic form, it features a simple and streamlined sports car design.
3. One turn, one press, one snap, quick folding in 3 seconds, can be placed in the trunk.
4. Waterproof push-type accelerated finger shifter design, one-button operation, convenient to use.

Model	X7	Ground clearance of pedal chassis	110mm
Unfold size	1073*415*1176mm	Folding method	3-second quick folding
Folding size	1073*460*450mm	Battery capacity	36V/5Ah Lithium Battery
Net weight	13kg	Charger parameters	DC42V/1.5A
Frame Material	Aluminum alloy	Motor driven	Front wheel drive
Tire Size	10 inch	Battery removal	Self-locking pluggable type
Max Range	15-25km	Waterproof level	IPX4
Speed	25km/h	Charging time	3-4 hours
Rated Power	36V/350W	Headlight	LED Headlight
Climbing Angel	15°	Max load	100kg

VOLTAENERGY®

VOLTAGO®

CHARGE UP. RIDE OUT.

X8 FOLDING E-SCOOTER





Removable and replaceable battery design



LED High-Brightness Display Screen Design

PRODUCT PARAMETERS			
Model	X8	Ground clearance of pedal chassis	115mm
Unfold size	1083*415*1186mm	Folding method	3 Seconds quick folding
Folding size	1083*415*460mm	Battery capacity	10Ah Li-ion battery
Net weight	15kg	Charger parameters	DC 42V/2A
Frame Material	Aluminum alloy	Motor driven	Front wheel drive
Tire Size	10inch	Battery removal	Removable battery
Max Range	35-45km	Waterproof level	IPX4
Speed	32km/h	Charging time	5-6 hours
Rated Power	36V/350W	Headlight	LED high-brightness front light
Climbing Angel	15°	Max load	120kg

VOLTAGO®

CHARGE UP. RIDE OUT.

X9 SUV LUXURY E-SCOOTER





Removable and replaceable battery design



Brushless Power Motor

REMARKS : X9PLUS (36V-15.6AH), X9PRO (36V-20.8AH), X9 MAX (48V-13AH), X9PROMAX (48V-15.6AH)			
Model	X9	Ground clearance of pedal chassis	120mm
Unfold size	1110*500*1230mm	Folding method	3 Seconds quick folding
Folding size	1110*500*540mm	Battery capacity	15.6Ah/20.8Ah Li-ion battery
Net weight	20-23kg	Charger parameters	DC42V/2A DC54.6V/2A
Frame Material	Aluminum alloy	Motor driven	Rear wheel drive
Tire Size	10inch	Climbing Angel	25°
Max Range	65-100km	Waterproof level	IPX4
Speed	40km/h	Charging time	6-9 hours
Rated Power	36V/500W 48V/550W	Headlight	LED high-brightness front light
Maximum Output Power	36V/850W 48V/1100W	Max load	120kg

VOLTAENERGY®

VOLTAGO®

CHARGE UP. RIDE OUT.

X9B SHOCK-ABSORBING E-SCOOTER

X9B

SHOCK-ABSORBING
E-SCOOTER



PRODUCT DESIGN CONCEPT:

1. The luxury SUV "Cullinan" in the electric scooter world;
2. Adopts minimalist aesthetics and smooth line styling design;
3. Automotive-grade chassis, equipped with a hidden and removable lithium battery structure;
4. 10-inch memory foam vacuum tires, with large-sized tires expanding the field of vision, and a quadruple braking system achieving efficient braking.

PRODUCT PARAMETERS			
Model	X9B	Ground clearance of pedal chassis	120mm
Unfold size	1150*500*1280mm	Folding method	3 Seconds quick folding
Folding size	1150*500*580mm	Battery capacity	48V/15.6Ah Li-ion battery
Net weight	21kg	Charger parameters	DC 42V/2A
Frame Material	Aluminum alloy	Motor driven	Rear wheel drive
Tire Size	10inch	Climbing Angel	25°
Max Range	65-70km	Waterproof level	IPX4
Speed	40km/h	Charging time	7-8hours
Rated Power	36V/500W	Headlight	LED high-brightness front light
Maximum Output Power	36V/850W	Max load	120kg

VOLTAGO®

CHARGE UP. RIDE OUT.

X10 OFF-ROAD E-SCOOTER

VOLTAENERGY®

X10

OFF-ROAD
E-SCOOTER





Removable and replaceable battery design



Dynamic design of front and rear triple shock absorber springs

PRODUCT PARAMETERS			
Model	S30	Ground clearance of pedal chassis	185mm
Unfold size	1340*630*1320mm	Folding method	3 Seconds quick folding
Folding size	1340*630*625mm	Battery capacity	48V/18.2Ah Li-ion battery
Net weight	38kg	Charger parameters	DC54.6V/2A
Frame Material	Steels	Motor driven	Rear wheel drive
Tire Size	11inch	Battery removal method	Portable and removable
Max Range	70-100km	Waterproof level	IPX4
Speed	40km/h	Charging time	9-10 hours
Rated Power	48V/1000W*2	Headlight	LED high-brightness front light
Climbing Angel	30°	Max load	120kg

DURBAN
031 006 5211
SOLARKZN@AFRICOGROUP.COM
UNIT 3 | IMVUBUPARK PLACE
RIVERHORSE VALLEY | DBN | KZN | 4017

CAPETOWN
021 853 3857
SOLAR@AFRICOGROUP.COM
109 MANHATTAN STREET
AIRPORT INDUSTRIAL | CAPE TOWN